

Atom Counting with Accelerator Mass Spectrometry

Kutschera, W.; Timothy Jull, A. J.; Paul, M.; Wallner, A.;

Originally published:

September 2023

Reviews of Modern Physics 95(2023)3, 035006

DOI: <https://doi.org/10.1103/RevModPhys.95.035006>

Perma-Link to Publication Repository of HZDR:

<https://www.hzdr.de/publications/Publ-37314>

Release of the secondary publication
on the basis of the German Copyright Law § 38 Section 4.

Atom Counting with Accelerator Mass Spectrometry

Walter Kutschera

*Faculty of Physics – Isotope Physics, University of Vienna,
Vienna Environmental Research Accelerator (VERA),
Waehringerstrasse 17, A-1090 Vienna, Austria*

A. J. Timothy Jull

*Geosciences and Physics, University of Arizona, Tucson, AZ 85721-0077 USA and
Isotope Climatology and Environmental Research Centre (ICER), Institute for
Nuclear Research, 4026 Debrecen, Hungary*

Michael Paul

Racah Institute of Physics, The Hebrew University of Jerusalem, Jerusalem, 91904 Israel

Anton Wallner

*Accelerator Mass Spectrometry & Isotope Research, Helmholtz-Zentrum Dresden-Rossendorf,
Institute of Ion Beam Physics and Materials Research, Bautzner Landstrasse 400,
D-01328 Dresden, Germany and Institute of Nuclear and Particle Physics
Technische Universität Dresden, D-01062 Dresden, Germany*

ABSTRACT

Accelerator mass spectrometry (AMS) was born in the late 1970s when it was realized at nuclear physics laboratories that the accelerator systems can be used as a sensitive mass spectrometer to measure ultra-low traces of long-lived radioisotopes. It soon became possible to measure radioisotope-to-stable isotope ratios in the range from 10^{-12} to 10^{-16} by counting the radioisotope ions “atom by atom” and comparing the count rate with ion currents of stable isotopes ($1.6 \mu\text{A} = 1 \times 10^{13}$ singly-charged ions/sec). It turned out that electrostatic tandem accelerators are best suited for this, and there are now world-wide about 160 AMS facilities based on this principle. The current review will present the history, technological developments and research areas of AMS through the 45 years since its discovery. Many different fields are touched by AMS measurements, including (alphabetically) archaeology, astrophysics, atmospheric science, biology, climatology, cosmic-ray physics, environmental physics, forensic science, glaciology, geophormology, hydrology, ice core research, meteoritics, nuclear physics, oceanography, particle physics - and more. Since it is virtually impossible to discuss all fields in detail in this review, only some specific fields with recent

advances will be highlighted in more detail. For the others, an effort has been made to provide relevant references for in-depth studies of the respective fields.

CONTENTS

I. Introduction	5
A. History	5
1. Isotopes	5
2. Counting atoms rather than decays	6
3. The discovery of accelerator mass spectrometry	7
B. Long-lived Radioisotopes	9
1. Cosmic-ray produced radioisotopes	9
2. Artificial radioisotopes	11
3. Overview of radioisotopes suitable for AMS measurements	11
II. Technical Aspects of AMS	14
A. Isotopic ratios: general principle of AMS measurements	14
B. The choice of accelerator	16
1. Tandem accelerators	16
2. Low-energy cyclotrons	18
3. High-energy cyclotrons	18
C. Negative ion sources and sample preparation	19
D. Background suppression	21
1. Reduction of isobaric interference	24
2. Isotopic background reduction and identification	26
3. ILIAMS (ion laser interaction mass spectrometry) and gas reaction cells	27
4. Gas-filled magnet	29
E. Radionuclide detection and background identification	31
F. AMS with positive ions and a heavy-ion linear accelerator	35
G. ATTA, an alternative method of atom counting	42
H. World-wide AMS facilities	44

III. The wide-ranging research areas of AMS	52
A. Archaeology	52
1. Radiocarbon dating	52
2. The 5000-year-old Tyrolean Iceman	53
3. The rock paintings in the Chauvet Cave	54
4. The Bronze Age eruption of Santorini	55
5. The appearance of modern humans in the Americas	56
6. The age of Peking man	56
7. The promise of ^{41}Ca	57
B. Biological Research	58
1. Tracing long-lived radioisotope in the human body	58
2. The ^{14}C bomb peak and cell dynamics in humans	58
3. The ^{14}C bomb peak in forensic science	61
C. Atmospheric Science	62
1. Carbon monoxide (CO) and the hydroxyl radical (OH)	62
2. The CARIBIC project: Monitoring the atmosphere on airline flights	64
3. The measurement of $^{14}\text{CO}_2$ as a sensitive tracer for anthropogenic activities	64
4. Atmospheric methane and $^{14}\text{CH}_4$ measurements	65
5. Solar energetic particle events	66
D. Oceanography and Hydrospheric Research	67
1. Global ocean currents	68
2. Groundwater dating	69
E. Cryospheric Research	70
1. Polar ice sheets	70
2. Glaciers	72
F. Lithospheric Research	72
1. Surface exposure dating and Geomorphology	72
2. Volcanology and Sedimentology	72
G. Anthropogenic Radionuclides	73
IV. Nuclear Physics and Astrophysics	75
A. Nuclear Physics	75
1. Half-lives of long-lived radionuclides	75

2. Search for superheavy nuclei	78
B. Astrophysics	82
1. Background in nuclear astrophysics	82
2. Reaction cross sections measured with AMS	84
3. Traces of accreted interstellar matter	90
C. Extraterrestrial Matter	97
1. Meteorites	97
2. Lunar material	99
2. Asteroid impacts	101
V. Concluding remarks	102
Acknowledgement	103
APPENDIX	104
References	107